

Zoo visitor chairs

profim



Technical data

product versions

- 522 - plastic seat and backrest
- 502 - upholstered seat, plastic backrest
- 500 - upholstered seat and backrest

Frame versions

- H - four legs
- HC - four legs, castors
- V - cantilever, stackable
- 2P - armrests

*Zoo on cantilever without armrests (V version) cannot be offered and distributed in the Federal Republic of Germany.

frame

Metal tube with cross section fi 22 mm.

Variants:

- black (powder coated)
- metallic (powder coated)
- shiny chrome (chrome)

table top

Zoo model may occur with table top (2PB).

Table top is not available as a separate part, it is integrated with the frame.

Purchase as a separate element is not possible. Right hand table top available as a standard.

It's always black composite.

armrests

Polyamide armrest PA.

It is possible to freely join the colours of seat, backrest and armrests.

castors/glides

Glides:

- standard - hard glides (for soft floors)

- option - felt glides (for hard floors)
- option - teflon glides (universal)

Castors in HC models:

- hard castors (for soft floors)
- soft castors (for hard floors)

seat

- plastic
- upholstered - cut foam - density 40 kg/m3

Seat cover:

- black frame - cover always black (RAL 9005)
- metallic , chrome, RAL frame - cover always grey (RAL 7005) except of chairs with black seat - in that case cover is always black (RAL 9005).

backrest

- plastic
- upholstered - cold molded foam - density 130 kg/m3.

Plastic colours for backrest:

- black (RAL 9005),
- grey (NCS S 6500-N)*,
- lightgrey (NCS S 2500-N)*.

* Available in offer from 01-09-2021.

It is possible to freely join the colours of seat, backrest and armrests.

In model Zoo 500 without armrests the plastic elements connecting the frame with backrest are:

- black frame - always black (RAL 9005)
- metallic, chrome - always grey (RAL 7005)
- RAL frame - RAL always in frame colour

net weight

- 525H, 505H - 6,5 kg
- 522H, 525HC, 502H - 7,0 kg
- 522HC, 525H 2P, 525V, 502HC, 500H, 505HC, 505H 2P - 7,5 kg
- 522H 2P, 522V, 525HC 2P, 502H 2P, 502V, 500HC, 505V - 8,0 kg
- 522HC 2P, 525V 2P, 502HC 2P, 500H 2P, 500V, 505HC 2P - 8,5 kg
- 522V 2P, 502V 2P, 500HC 2P, 505V 2P - 9,0 kg
- 500V 2P - 9,5 kg

gross weight

- 525H, 505H - 10,5 kg
- 522H, 525HC, 502H - 11,0 kg
- 522HC, 525H 2P, 525V, 502HC, 500H, 505HC, 505H 2P - 11,5kg
- 522H 2P, 522V, 525HC 2P, 502H 2P, 502V, 500HC, 505V - 12,0 kg
- 522HC 2P, 525V 2P, 502HC 2P, 500H 2P, 500V, 505HC 2P - 12,5 kg
- 522V 2P, 502V 2P, 500HC 2P, 505V 2P - 13,0 kg
- 500V 2P - 13,5 kg

stacking

Maximum quantity in stack:

- 522H, 522H 2P, 525H, 525H 2P - 10 pcs.
- 522H 2PB, 522V 2PB, 525H 2PB, 525V 2PB - 5 pcs.
- 522V, 522V 2P, 525V, 525V 2P - 8 pcs.
- 502H, 502H 2P, 502H 2PB, 502V, 502V 2P, 502V 2PB, 500H, 500H 2P, 500H 2PB, 500V, 500V 2P, 500V 2PB, 505H, 505H 2P, 505H 2PB, 505V, 505V 2P, 505V 2PB - 5* pcs.

Maximum quantity in stack on trolley:


- 522H, 525H - 12 pcs.
- 522H 2P, 525H 2P - 10 pcs.
- 522H 2PB, 522V 2PB, 525H 2PB, 525V 2PB - 5 pcs.
- 522V, 522V 2P, 525V, 525V 2P - 8 pcs.
- 502H, 502H 2P, 502H 2PB, 502V, 502V 2P, 502V 2PB, 500H, 500H 2P, 500H 2PB, 500V, 500V 2P, 500V 2PB, 505H, 505H 2P, 505H 2PB, 505V, 505V 2P, 505V 2PB - 5* pcs.

*Chairs upholstered in Valencia - 3 pcs.


additional information

- Chairs numbering
- Rows numbering
- Joining in rows
- Joining of chairs and rows "Anti-panic" system
- Trolley for transportation


Dimensions




522H / 522HC / 525H / 525HC




522H 2P / 522HC 2P / 525H 2P / 525HC 2P




522 / 522V / 525VNV / 525VN




522V 2P / 522VN 2P / 525V 2P / 525VN 2P




522H




522V




525H




525V




502H / 502HC / 505H / 505HC




502H 2P / 502HC 2P / 505H 2P / 505HC 2P




502V / 502VN / 505V / 505VN




502V 2P / 502VN 2P / 505V 2P / 505VN 2P




500V / 500VN




500V 2P / 500VN 2P




502H / 500H / 505H



502V / 500V / 505V



500H / 500HC



500H 2P / 500HC 2P